
COMPUTER APPLICATIONS**(Theory)****(Two Hours)**

Answers to this Paper must be written on the paper provided separately.

You will not be allowed to write during the first 15 minutes.

This time is to be spent in reading the question paper.

The time given at the head of this Paper is the time allowed for writing the answers.

This Paper is divided into two Sections.

Attempt all questions from Section A and any four questions from Section B.

The intended marks for questions or parts of questions are given in brackets [].

SECTION A (40 Marks)

Attempt all questions

Question 1

- (a) Name two types of Java programs.
- (b) Define *Instance Variable*. Give an example of the same.
- (c) Differentiate between *Binary Search* and *Linear Search*.
- (d) Assign the value of π (i.e. 3.142) to a variable with requisite data type.
- (e) Explain with an example the *if-else-if* construct. [10]

Question 2

- (a) Differentiate between *Formal Parameter* and *Actual Parameter*.
- (b) Why do we need a constructor as a class member?
- (c) Explain the term *type casting*.
- (d) Name the following:-
 - (i) A package that is invoked by default.
 - (ii) A key word, to use the classes defined in a package.
- (e) Name the class that is used for different mathematical functions. Give an example of a mathematical function. [10]

This Paper consists of 4 printed pages.

T07 861

Turn over

© Copyright reserved.

Question 3

(a) State the difference between `=` and `==`. [2]

(b) Write an equivalent Java syntax for the following expression:-

$$a = \frac{0.05 - 2y^3}{x - y} \quad [2]$$

(c) Rewrite the following using Ternary operator

```
if (income <= 10000 )
```

```
tax = 0 ;
```

```
else
```

```
tax = 12 ;
```

[2]

(d) Write a statement for each of the following:-

(i) Store a number 275 as a String

(ii) Convert the string to a numeric value

(iii) Add it to the existing total of 1000 to update the total. [3]

(e) (i) What is the role of the keyword `void` in declaring functions?

(ii) If a function contains several return statements, how many of them will be executed?

(iii) Which OOP principle implements function overloading? [3]

(f) What is the output of the following:-

```
System.out.println ("four :" + 4 + 2);
```

```
System.out.println (" four : "+(2+2));
```

[2]

(ii) String S1 = "Hi" ;

```
String S2 = "Hi" ;
```

```
String S3 = "there";
```

```
String S4 = "HI";
```

```
System.out.println(S1 + "equals" + S2 + "→" + S1.equals(S2));
```

```
System.out.println(S1 + "equals" + S3 + "→" + S1.equals(S3));
```

```
System.out.println(S1 + "equals" + S4 + "→" + S1.equals(S4));
```

```
System.out.println(S1 + "equalsIgnoreCase" + S4 + "→" +
```

```
S1.equalsIgnoreCase(S4));
```

[4]

(g) Evaluate the following expressions, if the values of the variables are $a = 2$, $b = 3$ and $c = 9$.

(i) $a - (b++) * (--c)$

(ii) $a * (++b) \% c$

[2]

SECTION B (60 Marks)

Attempt any four questions from this Section.

The answers in this Section should consist of the Programs in either Blue J environment or any program environment with Java as the base. Each program should be written using Variable descriptions/Mnemonic Codes such that the logic of the program is clearly depicted.

Flow-Charts and Algorithms are not required.

Question 4

Define a class **salary** described as below:-

Data Members: Name, Address, Phone, Subject Specialization, Monthly Salary, Income Tax.

Member methods: (i) To accept the details of a teacher including the monthly salary.

(ii) To display the details of the teacher.

(iii) To compute the annual Income Tax as 5% of the annual salary above Rs.1,75,000/-.

Write a main method to create object of a class and call the above member method.

[15]

Question 5

Write a program to compute and display the sum of the following series:-

$$\frac{1+2}{1 \times 2} + \frac{1+2+3}{1 \times 2 \times 3} + \dots + \frac{1+2+3+4 \dots n}{1 \times 2 \times 3 \times 4 \dots n}$$

[15]

Question 6

Write a program to initialize the given data in an array and find the minimum and maximum values along with the sum of the given elements.

Numbers : 2 5 4 1 3

Output : Minimum value : 1

Maximum value : 5

Sum of the elements : 15

[15]

Question 7

Write a program to enter a sentence from the keyboard and count the number of times a particular word occurs in it. Display the frequency of the search word.

Example:

INPUT:

Enter a sentence : the quick brown fox jumps over the lazy dog.

Enter a word to be searched : the

OUTPUT:

Searched word occurs : 2 times.

[15]

Question 8

Using a switch statement, write a menu driven program to convert a given temperature from Fahrenheit to Celsius and vice versa. For an incorrect choice, an appropriate error message should be displayed.

(HINT : $C = \frac{5}{9} \times (F - 32)$ and $F = 1.8 \times C + 32$)

[15]

Question 9

Write a program using a method Palin(), to check whether a string is a Palindrome or not. A Palindrome is a string that reads the same from left to right and vice versa.

E.g. MADAM, ARORA, ABBA, etc.

[15]